## PATENT APPLICATION OF

Barry R. Mumm and Mary E. Rolf

#### ENTITLED

WEBSITE, METHOD AND SYSTEM FOR CUSTOMIZING DESIGNER PRODUCTS

15

20

25

# WEBSITE, METHOD AND SYSTEM FOR CUSTOMIZING DESIGNER PRODUCTS

#### BACKGROUND OF THE INVENTION

The present invention relates to customization of designer products such as office furniture system workstations. More particularly, the present invention relates to a website, method and system for providing designer product information to a customer of a designer product manufacturer in order to customize designer products comprised of combinations of components and/or modules.

In designer product industries, manufacturers of designer products work with dealers and/or their ultimate purchasers (collectively referred to herein "customers") to prepare CAD (computer aided drawing) or other types of drawings corresponding to designer product configuration customer's preferences. One example of a designer product industry is the space planning industry. space planning industry, manufacturers of furniture system workstations (i.e. modular desks, shelving, cubical walls, etc.) work with customers to prepare CAD or other types of drawings corresponding configuration workstation customer's the Typical space planning compatible preferences. drafting programs include, but are not limited to, AutoCAD and GIZA.

After an AutoCAD (or GIZA) specialist at the manufacturer spends several hours generating the

15

20

25

drawings for the particular configuration preferences expressed by the customer, any changes in the customer's request will typically require several more hours of time in order to regenerate the drawings and related files. The related files in the space planning industry can include, for example, Standard Interface Files (.sif) and Bill of Materials Files (.rtf). The .sif and .rtf files contain information, for the particular manufacturers, such as part numbers, quantities and list prices.

space planning drawing specialist After employed by the manufacturer completes the drawing and related files for a customer's stated workstation is common for the configuration preferences, it customer to change his or her mind several times, each time changing the workstation configuration planning drawing the space preferences which specialist used to generate the drawings. it is common for customers to forget to specify one or more features, components or modules when ordering Since each change from the original a workstation. of workstation configuration preferences can result in hours of additional work for the space planning drawing specialist, this process has proven be frequently time consuming and relatively inefficient.

This type of problem is not limited to the space planning industry, but rather, this type of problem is experienced in various other designer product

15

20

25

industries. "Designer products" are defined for this document as products which require a computer drawing specialist to prepare or customize computer drawings of the particular products, or an interior designer to prepare computer or non-computer drawings of the particular products, based upon customer preferences on a case by case basis. For example, in addition to which includes industry planning the space furniture system office manufacturers of workstations, designer product manufacturers include cabinet manufacturers, window manufacturers, custom home furniture manufacturers, and others.

contemplated solution to this type One web-based CAD program develop a to problem is allowing the customer to prepare CAD drawings for their desired designer product using a web browser to access the CAD program from the manufacturer's host While this solution would potentially reduce server. load on the designer product drawing work specialist employed by the manufacturer, a web-based CAD program would be extremely expensive to develop and would require a great deal of transmission bandwidth to use. Further, a web-based CAD program would require the user to become proficient with the CAD system, which is an overly burdensome requirement Likewise, dial-up (i.e. non-web) in most cases. access to proprietary software on the manufacturer's system is burdensome for the same reason.

Consequently, a designer product system for helping a customer of a designer product manufacturer to customize designer products, which overcomes the above-described and other problems, would be a significant advancement of the art.

10

15

20

25

#### SUMMARY OF THE INVENTION

designer product Α method of providing of a designer product information to a customer manufacturer in order to customize designer products transmitting computer executable includes instructions over a computer network to a client computer, which when executed on the client computer cause a web browser on the client computer to prompt the customer to input designer product configuration The preferences input by the customer preferences. are then received over the computer network at a web Then, drawing data is retrieved from a server. database of pre-prepared drawings for a designer the designer product corresponding to product input by the customer. configuration preferences Computer executable instructions corresponding to the retrieved drawing data are then transmitted to the When executed on the client client computer. these computer executable instructions computer, cause the web browser on the client computer to designer product display the drawing of the preferences input by to the corresponding The customer can then use the web browser customer. the designer product, directly order file multiple available anv of download corresponding to the designer product drawing.

In one exemplary embodiment, the designer products are office furniture system workstations. In other embodiments, the designer products are other types of

customizable products which require an interior designer or a drawing specialist to prepare drawings for each customer based upon the customer's particular preferences.

### BRIEF DESCRIPTION OF THE DRAWINGS

- FIG. 1 is a block diagram illustrating a webbased designer product customizing system in accordance with embodiments of the present invention.
- FIG. 2 is a block diagram of an exemplary computer environment such as can be used as a client computer operated by a customer and used to access the designer product customizing system illustrated in FIG. 1.
- 10 FIGS. 3-10 are pictorial representations of a display or monitor of the client computer shown in Figs. 1 and 2, illustrating web page features of the designer product customizing system in accordance with an example embodiment of the invention.
- 15 FIG. 11 is a block diagram illustrating a method of providing designer product information to a customer of a designer product manufacturer in accordance with the present invention.

15

20

25

#### DETAILED DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

The present invention provides a unique solution faced above-described problems the to manufacturers of designer products such as office invention system workstations. The furniture includes a method of providing designer product information to a customer of a designer product manufacturer in order to customize designer products. The present invention also includes computer systems, such as web server and client based computer systems, which embody the disclosed method. Further, the present invention includes other embodiments such as computer medium containing readable computer executable instructions which implement the methods of the invention.

described invention is the in The present following description with reference to a particular office furniture product, designer type of workstations used in the space planning industry. However, the following description and claims should be interpreted to include other types of designer products. Consequently, the described space planning website and method is only one of many embodiments of the designer product customizing websites and methods of the present invention.

In accordance with an embodiment of the present invention, a space planning website allows customers (i.e. dealers and ultimate purchasers) to develop simple drawings of workstations. The website, which

15

20

25

is protected by the use of private IDs and passwords, prompts the user of the site to click on various options (product line, size, orientation, quantity, configuration, etc.) which they would like. user makes these selections, the system retrieves the appropriate plan view drawing (or other drawing type) from a large data base of pre-drawn workstation layouts for the manufacturer's product line. association with the drawing of the workstation the customer to configuration corresponding preferences, the website displays links to a number of corresponding workstation related files which the user can download if desired. The different files particular workstation can related to the downloaded to the customer's computer system further manipulation if desired.

When a customer of the manufacturer has used a workstation configuration input web browser to preferences, computer executable instructions transmitted to the client computer in order to cause the client computer to display a 3-dimensional view (or other view) of a workstation corresponding to the specified configuration preferences. The computer executable instructions transmitted to the client computer also cause the web browser to prompt allow the user to add, change and delete components shelving, kevboard storage, (i.e., fabric grade, When the customer has finished etc.). supports, adding, changing or deleting components, the system

updates the 3-dimensional view by retrieving another of a large number of pre-prepared drawings from a data base, and the customer is presented with the drawing number and file selections for the The customer can select and download configuration. any of the large number of file types for their Also, if the customer wishes to particular system. order the exact office system workstation as shown in the pre-prepared typical drawing, they can enter the order using a submit button displayed on the web 10 This causes the order to be e-mailed or browser. otherwise transmitted to the manufacturer. alternative, the user can choose to download particular related file type, and to make changes to it via their own software (i.e. GIZA or Auto CAD). 15 faxed then be e-mailed, changes can These otherwise sent to the manufacturer to place an order. Further, a .sif file corresponding to a particular be automatically received configuration can loaded into the manufacturer's business system, thus 20 A more detailed eliminating the order entry step. discussion of these methods and systems of the present invention is provided below with reference to Figs. 1-11.

25 FIG. 1 is a block diagram of a computer system in accordance with embodiments of the invention. The computer system can be a web-based computer system which utilizes the internet as a computer network for communication, or it can be a computer system which

utilizes other computer networks for communication. In either case, the computer system utilizes a web browser or other similar non-proprietary software operating on a client computer at a customer location to access a manufacturer web page or computer system order to customize office furniture system The phrase "non-proprietary software" workstations. is intended to reference software products, such as Internet web browsers, which are in common use by the The phrase is not intended to general public. represent that the software can be freely copied without compliance with the terms of any license agreements with the owner of the software.

system embodiment, the computer In one illustrated in FIG. 1 includes a web server 110 which 15 hosts a web page for a manufacturer of office The web server 110 furniture system workstations. utilizes a computer network 120, for example the to transmit computer executable internet, instructions to a client computer 130 operated by a 20 Web server 110 also receives, over network 120, data input into client computer 130 by the customer.

Web server 110 is coupled in communication with a workstation drawing database 140 which can be, for example, stored in memory of the web server, memory on a separate hard drive, or on other memory devices. Workstation drawing database 140 contains a large number of typical workstation layouts for the

25

particular manufacturer, each corresponding different set of customer workstation configuration preferences. A workstation, as defined herein, is a combination of components and modules (i.e., subassembles) forming an office furniture system. is intended Generally, the term workstation to represent a top-level (or near top-level) office furniture system configuration. The term workstation is distinguished from the component parts and/or modules which collectively define a workstation. 10 a broader context, a designer product is also defined herein as a combination of components and modules. As described above, a designer product is further a product which requires a computer defined as drawing specialist to prepare or customize computer 15 drawings of the particular product, or an interior designer to prepare computer or non-computer drawings the particular product, based upon customer preferences on a case by case basis.

Using a web browser or other non-proprietary software, client computer 130 operated by a customer can access, via network 120, the web page of the office furniture system manufacturer hosted by web server 110. Particular features of the web page are described later below with reference to Figs. 3-10. By transmitting computer executable instructions from the web server 110 to the client computer 130, and executing the instructions on the client computer, the web browser running on the client computer is

10

15

20

25

caused to prompt the customer to input workstation The workstation configuration preferences. configuration preferences are transmitted by client computer 130 and are received by the web Drawing data is retrieved from database server 110. 140 for a drawing of a workstation corresponding to the workstation configuration preferences input by Then, further computer executable the customer. instructions are transmitted by the web server 110, through network 120, to client computer 130. further computer executable instructions correspond to the retrieved drawing data and, when executed on the client computer, cause the web browser on the drawing client computer to display the of workstation the to corresponding workstation preferences input by the customer.

FIG. 2 and the related discussion provide a brief, general description of a computing environment 230 in which the invention may be implemented. The computing environment 230 illustrated in FIG. 2 is exemplary of a computing environment such as client computer 130, but can generally represent a web server environment as well. It must be noted that aspects of the invention are implemented within web server 110, but not necessarily in client computer 130.

Although not required, the present invention will be described, at least in part, in the general context of computer-executable instructions, such as

2.5

program modules, being executed by a computing environment (such as client computer 130 or a web Generally, program modules server computer 110). include routines programs, objects, components, data structures, etc., which perform particular tasks or implement particular abstract data types. Tasks performed by the program modules are described below with the aid of block diagrams and flow charts. implement in the art can skilled Those and flow t.o charts description, block diagrams 10 computer executable instructions. In addition, those skilled in the art will appreciate that the invention other computer with be practiced configurations, including multi-processor systems, computers, mini-computers, personal 15 networked The invention may mainframe computers, and the like. computing distributed in be practiced also environments where tasks are performed by remote that linked through processing devices are In a distributed environment, communication network. 20 program modules and/or data may be located in both local and remote memory storage devices

The computer 230 illustrated in FIG. 2 comprises a conventional computer having a central processing unit (CPU) 232, memory 234 and a system bus 236, which couples various system components, including the memory 234 to the CPU 232. The system bus 236 may be any of several types of bus structures, including a memory bus or a memory controller, a

peripheral bus, a network bus and a local bus using any of a variety of bus architectures. The memory 234 includes read-only memory (ROM) and random access memory (RAM). A basic input/output (BIOS) containing the basic routine that helps to transfer information between elements within the computer 230, such as during start-up, is stored in ROM. Storage devices 238, such as a hard disc, a floppy disk drive, an optical disk drive, etc., are coupled to the system bus 236 and are used for storage of program modules 10 and data. It should be appreciated by those skilled in the art that other types of computer readable media that are accessible by a computer, such as memory cards, CD-ROM, magnetic cassettes, flash digital video disks, random access memories, ROMs, 15 and the like may also be used as storage devices. Commonly, programs are loaded into memory 234 from at least one of the storage devices 238 with or without accompanying data. An input device 240, such as a keyboard, pointing device (i.e. mouse, etc.), or the 20 like, allows an operator to provide commands to the A monitor or display 242, or other computer 230. type of output device, is further connected to the system bus 236 via a suitable interface, and provides Computer operator. feedback to the 25 communicate with other computers, or a network of computers such as the Internet, through a wired or wireless communications link and an interface 244, such as a modem, network card, or the like.

15

20

25

embodiment, computer 230 can organize, present and solicit information to and from a customer through a website. As discussed above, computing environment 230 can be identified as a server, while remote computers are identified as clients. As discussed above, computer 230 is also generally descriptive of a computing environment which can be used as a client computer 130 (FIG. 1). Remote customers on the client computer can access the website using the client computer and a browser, such as MICROSOFT INTERNET EXPLORER or NETSCAPE NAVIGATOR.

In some embodiments of the present invention, the computer executable instructions contained on a computer readable medium or transmitted in a carrier wave signal include mark-up languages such as HTML, XHTML, CHTML, XML, WML or other mark-up languages frequently used in web page development. However, the present invention is not limited in any respect to embodiments in which the computer executable instructions are embodied as mark-up languages.

Figs. 3-10 are pictorial illustrations of web pages which can be displayed on a monitor 242 of a client computer 130 using a web browser 300. In a conventional manner, input devices 240 (shown in FIG. 2) such as a keyboard and/or pointing device are used to provide inputs to the client computer in order to effect changes in the web page displayed by web browser 300 and/or to provide information to web server 110 via computer network 120. Although only

eight separate web pages are illustrated in Figs. 310, other web pages can be added to the system of the
present invention without departing from the spirit
and scope of the invention. For example, an initial
web page which provides instructions to the customer
operating client computer 130 can be included.
Further, web pages which assign passwords and assist
in log-in procedures can also be added.

Shown in FIG. 3 is a web page 250 displayed by web browser 300 which prompts the customer or user to 10 choose a product line. This is typically done by using a pointing device to move the on-screen pointer to a selectable item (a designated portion of the web After selecting a product page), and "clicking". line, a web page 305 (FIG. 4) is displayed which 15 prompts the customer or user of client computer 130 to provide inputs which choose a basic configuration and workstation size. Again, this is typically done by using a pointing device to move the on-screen pointer to a selectable item and clicking. 20

As shown in FIG. 4 in one particular embodiment, the customer is prompted by web browser 300 to choose possible list of configuration from а "Telemarketing" а including configurations configuration 310, an "L-Shaped" configuration 312, a "Administrative" "U-Shaped" configuration 314, an configuration 316 and a "Managerial" configuration also prompted to select The user is workstation size as illustrated in the Telemarketing

10

workstation configuration 310 using selectable items Generally, the workstation or inputs 320 and 322. workstation size can be configuration and clicking the on simultaneously by selected appropriate size selection item under the desired Also, if workstation configuration heading. the customer is a returning visitor, input windows 324 can be used to enter a drawing number corresponding to a particular workstation configuration which the customer may have already selected during a previous visit.

configuration preferences input bу the customer using web page 305 shown in FIG. 4 transmitted over the computer network to server 110. Using the configuration and size preferences input by 15 the customer in conjunction with web page 305, web server 110 can transmit to client computer 130 computer executable instructions causing subsequent web pages to be displayed. For example, web page 405 5 can be displayed in which the shown in FIG. 20 additional provide prompted to is customer as quantity such preferences configuration In one embodiment, as the customer orientation. configuration workstation further provides preferences by clicking on one of selectable items 25 410 to choose the number of workstations and/or one of selectable items 415 to choose the orientation of executable workstations, the computer instructions transmitted to client computer 130 are

15

20

25

changed such that a top plan view 420 of a workstation corresponding to the combination of preferences is displayed. Once the quantity and orientation configuration preferences are input, the customer can continue the customization process by clicking on the "Continue" item or button 425.

After providing the workstation configuration preferences shown in FIGS. 3-5, web server 110 from database 140 of drawing data, retrieves workstation drawings, for a drawing of a workstation workstation configuration to the corresponding preferences specified by the customer. Then, the web server transmits computer executable instructions corresponding to the retrieved drawing data over the computer network to the client computer. executed on the client computer these new computer executable instructions cause the web browser 300 on the client computer monitor 242 to display a web page the workstation in which a drawing 510 of the workstation preferences corresponding to Web page 505 shown in FIG. 6 also provides shown. to the customer to choose additional prompts such workstation configuration parameters workstation "series" using selectable 515, items workstation "fabric grade" using selectable 520, and "accessories" using selectable items 525. under-worktop storage include accessories task light preferences, overhead storage and

25

preferences, and computer support component
preferences for example. \*

all of the workstation configuration preferences have been input by the customer server 110, web server 110 transmitted to web transmits to client computer 130 computer executable when executed on the client instructions which, computer cause the web browser 300 to display a web page 605 which includes a list 610 of downloadable particular the file corresponding to 10 types workstation preferences input by the customer. the particular embodiment illustrated in FIG. 7, web page 605 also includes drawing 510 of the workstation Further, web page 605 as was shown in FIG. 6. displays a drawing number 615 corresponding to the 15 workstation preferences input by the particular customer.

Downloadable files 610 is a list of selectable items or links which, when clicked upon by the customer, will result in transfer of the selected file type from web server 110 to client computer 130. In the particular embodiment illustrated in FIG. 7, the downloadable file types, each of which correspond to the particular set of workstation preferences input by the customer, include the following:

- (1) a 3-dimmensional rendering of the workstation (3-D.gif or other file types);
- (2) a two-dimensional plan view of the
  workstation (2-D.pdf or other file types);

15

20

- (3) an AutoCAD readable file (AutoCAD.dwg) which is in a format that can be used to make changes to the drawing using AutoCAD software;
- (4) a GIZA readable file (GIZA.cdb) which is in a format that can be used to make changes to the drawing using GIZA software;
  - (5) a standard interface file (.sif) that can be used to electronically populate the manufacturer's business system with a purchase order, thus eliminating the need for manual re-entry of order data; and
  - (6) a Bill of Materials file (Bill of Materials.rtf), which is a text version of the order including part numbers, quantities and list prices.
  - The downloadable file types 610 can be used by the customer to make changes to the work station level drawings, .sif file, Bill of Materials file, etc. Once the changes are made, the revised files can be transmitted to the manufacturer's system via e-mail or other electronic techniques. If desired, a revised Bill of Materials file can be printed out and faxed to the manufacturer in order to place the order.

Also illustrated in FIG. 7 are three additional buttons or selectable items: "Create a New Drawing" item 620, "End of Session Without Ordering" item 625, and "Choose Finishes" item 630. If the customer wishes to start the process over and create a new drawing, item 620 is selected. If the customer

wishes to end the customizing session without ordering, item 625 is selected. If the customer wishes to proceed with the customization process, "Choose Finishes" item 630 is selected, which causes the web server 110 to transmit to client computer 130 computer executable instructions which, when executed on the client computer, cause the web browser 300 to display a web page 650.

Web page 650 presents the customer with "swatch board" selectable items 655 (655A through 655E are 10 shown) which facilitate the selection of fabrics and the workstation. The selections for finishes presented are dynamic based on the drawing selected For example, if the by the customer or user. customer has selected a workstation that does not 15 contain any overhead storage, then the "Overhead Fabric" selection 655C would not be presented. initially presented, the swatch boards 655 are empty. As the user clicks on each swatch board selection 655, all fabrics or finishes (collectively "swatches" 20 660) allowed for that selection are displayed at the The user then picks one of bottom of the screen. those "swatches" 660 by clicking on it and the system then moves that swatch to the currently active swatch The swatch board selections can board 655. 25 changed by either clicking on the edit button 665 below the swatch selection or clicking on the swatch. Only when the user has selected all the required

10

15

20

fabrics and finishes does the "Finalize Order" button 670 become active.

The customer or user can view their order by clicking the "View Presentation" button 675. causes the web server 110 to transmit to client computer 130 computer executable instructions which, when executed on the client computer, cause the web browser 300 to display a web page or window 700 shown Window 700 shows the parameters 705 in FIG. 9. selected by the customer, a 3-D rendering 710 of the workstation, and the swatch board 655 that they The customer can save this swatch board in created. a file if they choose. The customer can also go back to page 650 (FIG. 8) and edit the swatch board, view and save the presentation as many times as they like. This method allows them to create several swatch boards for the same drawing. If the user or customer is for example a dealer, this enables them to present purchaser with multiple color ultimate the combinations.

Referring back to FIG. 8, when the customer or user clicks on "Finalize Order" button 670, they are presented with a page 750 that asks them for their name, email address and ship to information.

The customer submits this information and their drawing by clicking on "Submit an Order" button 755 at the bottom of this page. This submits an order for the workstation corresponding to the specified preferences and identified by the drawing number 615.

In one embodiment, clicking on the "Submit an order" item 620 causes an e-mail to be automatically generated and transmitted to the manufacturer for placement. In one particular embodiment, the e-mail contains the drawing number 615 being ordered, the fabric and finish selections from the screen or web page 505 and other information such as the ship to information.

The designer product customizing web site based 10 concepts of the present invention provide a number of unique features. The workstation embodiments illustrated do not limit the invention, the as invention is directed to more general designer Since the website allows selection and products. downloading of one of many (e.g., thousands) pre-15 packaged typical product configurations corresponding to the desired preferences, rather than requiring the customer to build-up the system from components or modules, the processing power and bandwidth necessary for a web-based CAD system is not required. 20 having a large number of pre-packaged designs, the flexibility of a traditional system is simulated without the programming or usage complexity. fundamental element used in the concepts of the is the designer product 25 present invention example, a workstation), rather than the component or This distinction is important in that users of designer products such as office furniture systems think in terms of top level products (for example

15

20

25

workstations), and not in terms of the component parts (e.g., cantilevers, feet, brackets, etc.). By providing the grossly correct solution (i.e., workstations) and then allowing customization, significant time, manpower and processing is saved in comparison to solutions in which the desired designer product is built-up piece by piece for each customer.

As shown in FIG. 7, the customer is provided with multiple methods or types of output to enable "instant" sales documentation and to allow further modification of the pre-packaged typical designer product configurations with a stand-alone CAD system (for example, running on a client computer). In addition, files are provided which facilitate integration with the user's business system.

Since the system of the present invention is web-based, it does not require the customer to have proprietary software specific to the manufacturer's The only software required in the client computer used by the customer is an internet browser Thus, the customer can access and e-mail software. the system from any computer connected to the The manufacturer can control access by the internet. assignment "quest" access to registered users. further advantage of the system of the invention is that it does not require any knowledge, by the customer, of the designer product components in order to achieve accurate results. Further,

15

20

25

computational elements of the system run on the web server, and not on the customer's computer.

The methods of the present invention can be expressed in a variety of differing forms, including methods which comprise transmitting and receiving computer executable instructions for performing one or more of the above-described steps. One exemplary embodiment is described in the following summary with reference to FIG. 11. The steps illustrated in FIG. 11 are for a method of providing designer product planning information to a customer of a designer product manufacturer in order to customize designer products comprised of combinations of components and/or modules. The method assumes that the customer is operating a client computer in communication with a web server via a computer network.

As shown at block 805, the method includes the step of transmitting computer executable instructions over the computer network to the client computer, which when executed on the client computer cause a web browser on the client computer to prompt the customer to input designer product configuration preferences. At block 810, the method is shown to include the step of receiving, over the computer network from the client computer, the configuration preferences input by the customer. Receipt of the preferences is generally at the web server.

Next, as shown at block 815, the method includes the step of retrieving drawing data, from a database

of designer product drawings, for a drawing of a designer product corresponding to the configuration preferences input by the customer. The database of drawings is a database of pre-prepared drawings, each corresponding to a different set of designer product configuration preferences. Then, as shown at step 820, the method includes the step of transmitting computer executable instructions corresponding to the retrieved drawing data, over the computer network to the client computer, which when executed on the client computer cause the web browser on the client computer to display the drawing of the designer product corresponding to the preferences input by the These method steps can include further customer. details, as described above with reference to FIGS. 1-10.

Although the present invention has been described with reference to preferred embodiments, workers skilled in the art will recognize that changes may be made in form and detail without departing from the spirit and scope of the invention.

20

10

15